

---

# Use Cases

for

# Suppliers Application

Version 1.0 approved

Prepared by Štěpán Šindelář

21/08/2014

## Revision History

Name	Date	Reason For Changes	Version
Štěpán Šindelář	21/08/2014	Initial version	1.0

## Introduction

Since the system does not support authentication nor authorization, in all use cases the implicit actor is an employee of the company with access to this application using standard web browser.

## Use Cases

Use Case ID:	1		
Use Case Name:	View Suppliers		
Created By:	Štěpán Šindelář	Last Updated By:	
Date Created:	21/08/2014	Date Last Updated:	
Description:	View existing suppliers in the system		
Preconditions:	None		
Postconditions:	The webpage displays all the suppliers in the system.		
Normal Course of Events:	<ul style="list-style-type: none"> <li>User opens a web browser and types in the url address of the application</li> </ul>		

Use Case ID:	2		
Use Case Name:	View Suppliers by Group		
Created By:	Štěpán Šindelář	Last Updated By:	
Date Created:	21/08/2014	Date Last Updated:	
Description:	View only existing suppliers from a selected group.		
Postconditions:	The webpage reloads and displays all the suppliers from the selected group.		
Normal Course of Events:	<ul style="list-style-type: none"> <li>User opens a web browser and types in the url address of the application</li> <li>User selects a group from a list displayed on the webpage</li> </ul>		

Use Case ID:	3		
Use Case Name:	Add New Supplier		
Created By:	Štěpán Šindelář	Last Updated By:	
Date Created:	21/08/2014	Date Last Updated:	
Description:	User adds a new supplier into the system		
Postconditions:	The webpage reloads and displays all the suppliers including the newly added one.		
Normal Course of Events:	<ul style="list-style-type: none"> <li>User opens a web browser and types in the url address of the application</li> <li>User clicks on a button with text "Add new supplier"</li> <li>User fills in all the fields</li> <li>User click on a button with text "Submit"</li> </ul>		
Exceptions:	<ul style="list-style-type: none"> <li>If some of the fields are not filled in or have invalid values, webpage displays validation errors upon clicking the "Submit" button.</li> </ul>		

Use Case ID:	4		
Use Case Name:	Edit Supplier		
Created By:	Štěpán Šindelář	Last Updated By:	
Date Created:	21/08/2014	Date Last Updated:	
Description:	User changes values of some of the fields of an existing supplier		
Preconditions:	There is at least one existing supplier in the system.		
Postconditions:	The webpage reloads and displays all the suppliers including the updated one.		
Normal Course of Events:	<ul style="list-style-type: none"> <li>• User opens a web browser and types in the url address of the application</li> <li>• User clicks on a button with pencil icon in a table row that represents some existing supplier</li> <li>• User changes the values of one or more fields</li> <li>• User click on a button with text “Submit”</li> </ul>		
Exceptions:	<ul style="list-style-type: none"> <li>• If some of the fields are empty or have invalid values, webpage displays validation errors upon clicking the “Submit” button.</li> </ul>		

Use Case ID:	5		
Use Case Name:	Remove Supplier		
Created By:	Štěpán Šindelář	Last Updated By:	
Date Created:	21/08/2014	Date Last Updated:	
Description:	User changes removes an existing supplier from the system		
Preconditions:	There is at least one existing supplier in the system.		
Postconditions:	The webpage reloads and displays all the suppliers excluding the removed one.		
Normal Course of Events:	<ul style="list-style-type: none"> <li>• User opens a web browser and types in the url address of the application</li> <li>• User clicks on a button with cross icon in a table row that represents some existing supplier</li> </ul>		